



The Diamond Tool Company



MASTER CATALOG



TABLE OF CONTENT

HIGH SPEED SAW BLADES

- p. 3 General All Purpose Blades
- p. 4 General Purpose
- p. 5 The Platinum Series
- p. 6 Asphalt / Green Concrete

CURED CONCRET

- p. 7 Professional Grade Diamonds

ASPHALT WET CUTTING

- p. 8 Professional Grade

UNDER CUTTING PROTECTION

- p. 10 Under cutting protection

ASPHALT OVER CONCRETE

- p. 11 Professional Series

WALL SAW

- p. 13 Hydraulic / Electric Machines - Split Sandwich Segment
- p. 13 Split Sandwich Segment
- p. 13 Electric Machines - V Notch Sandwich Segment
- p. 14 V Notch Sandwich Segment
- p. 15 Split Segments - Sandwich Segment
- p. 16 Wall Saw: Bolt Hole Pattern
- p. 17 Hand Held Blades
- p. 18 Ring Saw

DRILL CORE BITS

- 19 Concrete Core Bits

DRY CORE BITS

- 21 Dry Core Bits

PRE-STRESSED CONCRETE

- 22 Elematic, Ultraspan and Spancrete Blades

SUN FLOWER BLADES

- 22 Early Entry Blades

SMALL DIAMETER

- 26 Segmented blades
- 28 Turbo blades
- 29 Turbo blades - Granite

SPECIALTY

- 30 Ductile Iron Blades
- 31 Metal Blades
- 31 Metal Blades W/ Side Coating

DIAMOND WIRE

- p. 32 Sintered Beads / Brazed Beads / Electroplated Wires

TUCK POINT

- p. 33 Laser Tuck Pointing Blades
- 35 Sandwich

CRACK CHASER

- p. 36 Laser Welded

CUP WHEELS

- p. 37 Single Row Cup Wheels
- 38 Double Row Cup Wheels
- p. 39 Segmented Turbo Cup wheels
- p. 40 Special Cup Wheels

TILE BLADES

- 43 Dry Ceramic Tile Blades
- 44 Porcelain Tile Blades With J-Slot

CHAINS

- 45 N TYPE - Hydraulic
- 46 3D - Hydraulic
- 47 X TYPE - Hydraulic
- 48 X TYPE - Gas
- 49 N TYPE - Gas
- 52 N TYPE - Hydraulic

HIGH SPEED SAW BLADES

GENERAL ALL PURPOSE BLADES

Application: For cutting multiple applications. Cured Concrete, Green Concrete, Asphalt, Bricks, Blocks, Concrete Pipe.

Equipment: Hi Speed Hand Held Saw, Low H.P Walk Behind, Table Saw



PREMIUM

10
mm



Size

12" x .125 x 1
12" x .125 x 20 mm
14" x .125 x 1
14" x .125 x 20 mm
16" x .125 x 1

SUPREME

10
mm



Size

12" x .125 x 1
14" x .125 x 1
16" x .125 x 1
18" x .142 x 1"- 20 mm
20" x .142 x 1"- 20mm

HIGH SPEED SAW BLADES

GENERAL PURPOSE

Application: Cured concrete. Reinforced Concrete, Brick, Block, Concrete Pavers, Roof Tiles

Equipment: Hi Speed Hand Held Saw, Low H.P Walk Behind, Table Saw, Chop Saw



HEAVY DUTY - SINTERED

10
mm



Size

12" x .125 x 1-20 mm

12" x .125 x 20 mm

14" x .125 x 1-20 mm

14" x .125 x 20 mm

PREMIUM - LASER WELDED



Size

10 mm Segments Height

12" x .125 x 1-20 mm

12" x .125 x 20 mm

14" x .125 x 1-20 mm

14" x .125 x 20 mm

16" x .125 x 1-20 mm

16" x .125 x 20 mm

12 mm Segments Height

16" x .125 x 1-20 mm

18" x .125 x 20 mm

20" x .125 x 1-20 mm



CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

HIGH SPEED SAW BLADES

THE PLATINUM SERIES

Application: Cured concrete, Reinforced Concrete, Brick, Block, Concrete Pavers or Roof Tiles

Equipment: Hi Speed Hand Held Saw, Low H.P Walk Behind, Table Saw, Chop Saw



SUPREME

9
mm



Size

12" x .110 x 1-20 mm
12" x .110 x 20 mm
14" x .110 x 1-20 mm
14" x .110 x 20 mm
16" x .125 x 1-20 mm

PREMIUM

11
mm



Size

12" x .125 x 1-20 mm
12" x .125 x 20 mm
14" x .125 x 1-20 mm
14" x .125 x 20 mm
16" x .125 x 1-20 mm

SUPER PRO

13
mm



Size

12" x .125 x 1-20 mm
12" x .125 x 20 mm
14" x .125 x 1-20 mm
14" x .125 x 20 mm

HIGH SPEED SAW BLADES

ASPHALT / GREEN CONCRETE

Application: Exclusively Asphalt or Green Concrete (less than 48 hours old)

Equipment: Hi Speed Hand Held Saw, Low H.P Walk Behind



HEAVY DUTY

10
mm

Slanted undercut Protection for low H.P Walk Behind and High Speed Hand Held to prevent undercutting



Size

12" x .125 x 1
12" x .125 x 20mm
14" x .125 x 1
14" x .125 x 20mm
16" x .125 x 1
18" x .142 x 1
20" x .155 x 1

PREMIUM

10
mm




Size

12" x .125 x 1-20 mm
12" x .125 x 20 mm
14" x .125 x 1-20 mm
14" x .125 x 20 mm
16" x .125 x 1 mm
18" x .142 x 1 mm
20" x .155 x 1 mm

SUPREME

10
mm

Narrow slot slanted undercut



Size

12" x .125 x 1-20 mm
12" x .125 x 20 mm
14" x .125 x 1-20 mm
14" x .125 x 20 mm
16" x .125 x 1-20 mm
18" x .125 x 1-20 mm

CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

CURED CONCRETE- WET CUTTING

PROFESSIONAL GRADE DIAMOND BLADE FOR CURED CONCRETE


Application: Cured Concrete, Reinforced Concrete

Equipment: High H.P Self Propelled Walk Behind Saws (35 H.P - 120 H.P)



SUPREME

14
mm



EVEREST	C2	C5
35 H.P - 120 H.P Hard Aggregate / Non abrasive	35 H.P - 85 H.P Medium - Hard Aggregate	35 H.P - 85 H.P Soft Aggregate / Abrasive Sand
Size	Size	Size
14" x .125	14" x .125	14" x .125
14" x .145	14" x .145	14" x .145
14" x .160	14" x .160	14" x .160
14" x .187	14" x .187	14" x .187
14" x .250	14" x .250	14" x .250
16" x .125	16" x .125	16" x .125
18" x .125	18" x .125	18" x .125
18" x .160	18" x .160	18" x .160
18" x .187	18" x .187	18" x .187
20" x .125	20" x .125	20" x .125
20" x .160	20" x .160	20" x .160
24" x .145	24" x .145	24" x .145
24" x .160	24" x .160	24" x .160
24" x .187	24" x .187	24" x .187
26" x .160	26" x .160	26" x .160
26" x .170	26" x .170	26" x .170
26" x .187	26" x .187	26" x .187
30" x .160	30" x .160	30" x .160
30" x .170	30" x .170	30" x .170
30" x .187	30" x .187	30" x .187
30" x .250	30" x .250	30" x .250
36" x .187	36" x .187	36" x .187
36" x .220	36" x .220	36" x .220
36" x .250	36" x .250	36" x .250
42" x .187	42" x .187	42" x .187
42" x .220	42" x .220	42" x .220

CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

ASPHALT - WET CUTTING

PROFESSIONAL ASPHALT BLADES


Application: Asphalt

Equipment: Low H.P Walk Behind Saws (15 H.P - 65 H.P)



PREMIUM

10
mm



Size

14" x .125

14" x .187

14" x .250

16" x .125

18" x .125

18" x .160

18" x .187

20" x .125

20" x .160

24" x .160

24" x .187

26" x .160

26" x .170

26" x .187

30" x .160

30" x .170

30" x .187

30" x .250

36" x .170

36" x .187

ASPHALT - WET CUTTING

PROFESSIONAL ASPHALT BLADES

Application: Asphalt

Equipment: High H.P Self Propelled Walk Behind Saws (35 H.P - 120 H.P)



SUPREME

12
mm



Size

14" x .125

14" x .187

14" x .250

16" x .125

18" x .125

18" x .160

18" x .187

20" x .125

20" x .160

24" x .160

24" x .187

26" x .160

26" x .170

26" x .187

30" x .160

30" x .170

30" x .187

30" x .250

36" x .170

36" x .187

UNDER CUTTING PROTECTION

Toolgal USA offers four different types of Under Cutting Protection configurations:



V - Small Diamond Segment Inserts. brazed into the slots of the core.



T - Extra Height Segment. Used on laser welded blades. Full cutting power and full undercut protection.



R - Trapezoid Segment. Used on laser welded blades. Similar in principle to the T - Segment with refined geometry



C - A Regular Segment Set on a Slant. Used mainly on regular concrete and asphalt saws. Part of the slanted segment is dedicated for undercutting protection.

Undercutting Coding is composed of one digit and letter. The digit represents the number of U/C segments on the saw blade.

The letter defines the U/C segments configuration (per above groups).

ASPHALT OVER CONCRETE

PROFESSIONAL SERIES


Application: Asphalt over Concrete

Equipment: Low H.P Walk Behind Saws (15 H.P - 65 H.P)



PREMIUM

10
mm



Size

14" x .125

14" x .187

14" x .250

16" x .125

18" x .125

18" x .160

18" x .187

20" x .125

20" x .160

20" x .187

24" x .160

24" x .187

26" x .160

26" x .170

26" x .187

30" x .160

30" x .170

30" x .187

30" x .250

36" x .170

36" x .187

ASPHALT OVER CONCRETE

PROFESSIONAL SERIES


Application: Asphalt over Concrete

Equipment: Self Propelled walk behind saws 35 H.P - 120 H.P



SUPREME

12
mm



Size

14" x .125

14" x .187

14" x .250

16" x .125

18" x .125

18" x .160

18" x .187

20" x .125

20" x .160

20" x .187

24" x .160

24" x .187

26" x .160

26" x .170

26" x .187

30" x .160

30" x .170

30" x .187

30" x .250

36" x .170

36" x .187

WALL SAWS

HYDRAULIC / ELECTRIC WALL SAW MACHINE SPLIT & SANDWICH SEGMENTS

Application: wall saw cutting with heavy reinforced

Equipment: High H.P Electric Wall Saw (Power between 15 KW - 30 KW),
High Cycle Saw, Hydraulic wall saw

10
mm



Segments	Bore Size
----------	-----------

24" x .187	1+6
------------	-----

26" x .187	1+6
------------	-----

26" x .220	1+6
------------	-----

30" x .187	1+6
------------	-----

30" x .220	1+6
------------	-----

36" x .187	1+6
------------	-----

36" x .220	1+6
------------	-----

36" x .250	1+6
------------	-----

ELECTRIC WALL SAW MACHINE V - NOTCH SANDWICH SEGMENTS

Application: wall saw cutting with heavy reinforced

Equipment: Low H.P Electric Wall Saw (Power between 7.5 KW - 15 KW)

10
mm



Size	Bore Size
------	-----------

24" x .157	1 + 6
------------	-------

26" x .157	1 + 6
------------	-------

30" x .157	1 + 6
------------	-------

Blades 24" and above are manufactured with Long Year Flush Cut Pattern.
GDM, Pentrunder and other hole pattern available on request.

WALL SAWS

V - NOTCH SANDWICH SEGMENT

Application: Wall saw cutting with heavy reinforced
Equipment: Hydraulic, High Cycle, Electric Wall Saws

10
mm



Size

24" x .220
26" x .220
30" x .220
32" x .220
36" x .220
42" x .220
44" x .220
48" x .220
54" x .220
60" x .220



Size

24" x .187
26" x .187
30" x .187
32" x .187
36" x .187
42" x .187
44" x .187
48" x .187
54" x .187
60" x .187

WALL SAWS

SPLIT SEGMENT - SANDWICH SEGMENT

Application: Wall saw cutting with heavy reinforced

Equipment: Hydraulic, High Cycle, Electric Wall Saws, Pneumatic saws

10
mm



Blades 24" and above are manufactured with Long Year Flush Cut Pattern.
GDM, Pentrunder and other hole pattern available on request.



Segments	Bore Size
24" x .187	1+6
24" x .220	1+6
24" x .250	1+6

26" x .187	1+6
26" x .220	1+6
26" x .250	1+6

30" x .187	1+6
30" x .220	1+6
30" x .250	1+6

32" x .187	
32" x .220	1+6
32" x .250	


36" x .187	1+6
36" x .220	1+6
36" x .250	1+6

42" x .187	1+6
------------	-----


WALL SAWS

BOLT HOLE PATTERNS


Long Year Bolt Hole Patern - P5




GDM - P10



Pentruder - 1-3/8" - P11



Pentruder - 1" - P51



Louis Bolt Hole - P2



WALL SAWS

WALL SAW - HAND HELD

Application: Wall saw cutting with heavy reinforced

Equipment: Hydraulic and Pneumatic Saws

10
mm



Size	Bond	Seg. Type	Bore Size
20 5/8" x .145	Blue Shark	V- Notch	1+6
20 5/8" x .145	Great White	V-Notch	1+6
20 5/8" x .125	Blue Shark	Split	1+6
20 5/8" x .125	Great White	Split	1+6
24" x .125	Great White	WN	1+6

WALL SAWS

RING SAW BLADES

Application: Cured Concrete, Masnry, General Purpose, Reinfirced Concrete
Equipment: Hand Held Hydraulic Saws

10
mm



Segments	Bond
14" x .170	Blue Shark
14" x .170	Great White
14" x .170	Tiger Shark
14" x .220	Blue Shark
14" x .235	Blue Shark



CORE BITS

CONCRETE CORE BITS

Application: Masonry, Light Weight Block, Concrete Block, Concrete Brick
Brick

Equipment: Electric Core Drill

7.5
mm



SUPREME SERIES Tapered or Flat Segment

Note: 16" Barrel Length with 1 - 1/4" threaded connection



Size	Seg. Width	# of Seg.
2"	.135	5
2 1/4"	.135	5
2 1/2"	.135	6
2 3/4"	.135	6
3"	.135	7
3 1/2"	.135	8
4"	.157	9
4 1/2"	.157	9
5"	.157	11
6"	.157	13
7"	.175	14
8"	.175	16
10"	.200	18
12"	.200	20



CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

CROWN CORE BITS

CONCRETE PRO SERIES

Application: Masonry, Light Weight Block, Concrete Block, Concrete Brick
Brick

Equipment: Electric Core Drill



Note: 14" Length With 5/8 -11 Threaded Connection



Size

1/2"

5/8"

3/4"

7/8"

1"

1 1/8"

1 1/4"

1 3/8"

1 1/2"

1 5/8"

1 3/4"

DRY CORE BITS

DRY CORE BITS

Application: Masonry, Light Weight Block, Concrete Block, Brick
Equipment: Electric Core Drill



Note: 9" Barrel Length with 5/8 - 11" threaded connection



Size
1"
1 1/4"
1 1/2"
1 3/4"
2"
2 1/4"
2 1/2"
3"
3 1/2"
4"
4 1/2"
5"
6"

PRE STRESSED

PRE - STRESSED CONCRETE BLADES

Application:
Equipment:



ELEMATIC

12
mm



Size

28" x .235
32" x .235
36" x .235
40" x .235
44" x .320
48" x .320
52" x .320

ULTRASPAN

12
mm



Size

28" x .250
32" x .250
36" x .295
40" x .295
44" x .320
48" x .320
52" x .320

SPANCRETE

12
mm




Size

28" x .250
32" x .250
36" x .295
40" x .295
42" x .295
44" x .320
48" x .320
52" x .320

SUN FLOWER BLADES

EARLY ENTRY BLADES

Toolgal USA is proud to announce our new SUN FLOWER Series Blades. Each blade comes with its own Skid Plate that attaches directly on the saw with NO adaptor or clips.



SOFF - CUT *	SUN FLOWER
1000 - Purple	SFP - Purple
2000 - Green	
3000 - Red	SFR - Red
4000 - Orange	SFO - Orange
5000 - Yellow	

* Soff - Cut™ is a registered trademark of Soff - Cut International, Inc & Husqvarna Construction Products.



SAW REFERENCE	
Model	Blade Size
X - 50	5"
X - 390	5.5"
X - 150	6"
X - 450, X - 750, X - 1500	8"
X - 2000, X - 2500	10"
X - 4000, X - 4200	12" & 13.5"
X - 5000	12" & 14"


SUN FLOWER BLADES

#1 SOFT

Application: Medium aggregates with medium abrasive sand

Equipment: Soff Cut Saws

10
mm



Size


6" x .095
8" x .095
10" x .125
10" x .250
12" x .125
12" x .250
13.5" x .125
13.5" x .250
14" x .125
14" x .250

#1A MEDIUM

Application: Medium to hard aggregates with medium abrasive sand

Equipment: Soff Cut Saws

10
mm



Size

6" x .095
8" x .095
10" x .125
10" x .250
12" x .125
12" x .250
13.5" x .125
13.5" x .250
14" x .125
14" x .250

SUN FLOWER BLADES

#2 HARD

Application: Very hard aggregates with non-abrasive sand
Equipment: Soff Cut Saws

10
mm



Size
6" x .095
8" x .095
10" x .125
10" x .250
12" x .125
12" x .250
13.5" x .125
13.5" x .250
14" x .125
14" x .250

SKID PLATE PRICING



Size
6" to 8" Blades
10" Blades
12" to 14" Blades
14" Blades

CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

SMALL DIAMETER

SEGMENTED BLADES

Application: General Purpose, Concrete, Masonry
Equipment: Angle Grinder, Circular Saws, Table Saws



HEAVY DUTY

10
mm



Size

4" x .071 x 7/8 - 5/8
4.5" x .071 x 7/8 - 5/8
5" x .080 x 7/8 - 5/8
6" x .080 x 7/8 - 5/8
7" x .087 x 7/8 - 5/8
8" x .087 x 7/8 - 5/8
9" x .095 x 7/8 - 5/8
10" x .095 x 7/8" - 5/8"

PREMIUM

8.5
mm



Size

4" x .080 x 7/8 - 5/8
4.5" x .080 x 7/8 - 5/8
5" x .080 x 7/8 - 5/8
6" x .090 x 7/8 - 5/8
7" x .090 x DM - 5/8
8" x .090 x DM - 5/8
9" x .095 x DM - 5/8
10" x .095 x DM - 5/8

SMALL DIAMETER


SEGMENTED BLADES

Application: General Purpose, Concrete, Masonry
Equipment: Angle Grinder, Circular Saws, Table Saws



SUPREME

10
mm



Size

4" x .085 x 7/8
4.5" x .085 x 7/8
5" x .085 x 7/8
7" x .090 x DM
8" x .090 x DM
10" x .090 x DM



SMALL DIAMETER

TURBO BLADES

Application: General Purpose, Cured Concrete, Roof Tile

Equipment: Angle Grinder, Circular Saws, Table Saws, Highspeed Saws



HEAVY DUTY

10/12
mm



Size

10mm Segments


4" x .085 x 7/8 - 5/8
4.5" x .085 x 7/8 - 5/8
5" x .085 x 7/8 - 5/8
6" x .090 x DM
7" x .090 x DM
8" x .090 x DM
9" x .100 x 7/8 - 5/8
10" x .100 x 7/8 - 5/8

12mm Segments

12" x .125 x 1
12" x .125 x 20mm
14" x .125 x 1
14" x .125 x 20mm

PREMIUM

10
mm



Size

4" x .085 x 7/8 - 5/8
4.5" x .085 x 7/8 - 5/8
5" x .085 x 7/8 - 5/8
6" x .090 x DM
7" x .090 x DM
8" x .090 x DM
9" x .100 x 7/8 - 5/8
10" x .100 x 7/8 - 5/8
12" x .125 x 1
12" x .125 x 20mm
14" x .125 x 1
14" x .125 x 20mm

SMALL DIAMETER

TURBO BLADES - GRANITE

Application: Granite, Marble, Hard Material

Equipment: Angle Grinder, Circular Saws, Table Saws



SUPREME

8
mm



Size

4" x .085 x 7/8 - 5/8
4.5" x .085 x 7/8 - 5/8
5" x .085 x 7/8 - 5/8
6" x .090 x DM
7" x .090 x DM
8" x .090 x DM
9" x .100 x 7/8 - 5/8
10" x .100 x 7/8 - 5/8

DUCTILE BLADES - LASER WELDED

Application: Ductile iron pipe, RCP, Cast Iron

Equipment: Hand held saw, Hi Speed Saw, Table Saw

10/12
mm



Size

12" x .125 x 1

12" x .125 x 20

14" x .125 x 1

14" x .125 x 20

12 mm Segment


16" x .125 x 1



METAL BLADES

Application: Cast Iron, Metal, Rebar, Angel Iron, Ductile Iron Pipe, PVC Pipe, Reinforced Concrete, Polyethelene Pipe, Wood, Cast Iron, RCP
Equipment: Hi Speed Saw, Table Saw, Angle Grinder, Circular Saw, Low H.P Walk Behind

5
mm



Size

4" x .080
4.5" x .080
5" x .080
6" x .095
7" x .095
8" x .095
10" x .095
12" x .125
14 x .125 x 1-20mm
14" x .125 x 20mm
16 x .125 x 1-20mm
16" x .125 x 20mm
20" x .140

METAL BLADES WITH SIDE COATING

Application: Cast Iron, Metal, Rebar, Angel Iron, Ductile Iron Pipe, PVC Pipe, Reinforced Concrete, Polyethelene Pipe, Wood, Cast Iron, RCP
Equipment: Hi Speed Saw, Table Saw, Low H.P Walk Behind

5
mm



Size

12" x .125
14 x .125 x 1-20mm
14" x .125 x 20mm
16 x .125 x 1-20mm
16" x .125 x 20mm

DIAMOND WIRE

SINTERED BEAD DIAMOND WIRE

Application: Concrete, Cured Concrete, Reinforced Concrete

Equipment: Wire Saw



Description	Diameter Beads	# of Beads per Meter
Plastic + Spring	10.5 mm	40
	11.5 mm	
Rubber + Spring	10.5 mm	40
	11.5 mm	

BRAZED BEAD DIAMOND WIRE

Application: For Concrete With No Steel Reinforcement. The Best Choice Is Brazed Beaded Wire With Springs.

Equipment: Wire Saw



Description	Diameter Beads	# of Beads per Meter
Spring Loaded	10.5 mm	33
Spring + Plastic	10.5 mm	

ELECTROPLATED

Application: Fast Cutting - Concrete, Cured Concrete, Reinforced Concrete

Equipment: Wire Saw



Description	Diameter Beads	# of Beads per Meter
Spring Loaded	10.5 mm	40
Spring + Plastic	10.5 mm	

TUCK POINT

LASER TUCK POINTING BLADES

Application: Mortar, Masonry, Concrete
Equipment: Angle Grinder



HEAVY DUTY

10
mm



Size

4" x .250 x 7/8
4" x .375 x 7/8
4.5" x .250 x 7/8
4.5" x .375 x 7/8
5" x .250 x 7/8
5" x .375 x 7/8
7" x .250 x 7/8
7" x .375 x 7/8

PREMIUM

10
mm



Size

4" x .250 x 7/8
4" x .375 x 7/8
4.5" x .250 x 7/8
4.5" x .375 x 7/8
5" x .250 x 7/8
5" x .375 x 7/8
6" x .250 x 7/8
7" x .250 x 7/8
7" x .375 x 7/8
8" x .250 x 7/8
8" x .375 x 7/8

TUCK POINT

LASER TUCK POINTING BLADES


Application: Mortar, Masonry, Concrete

Equipment: Angle Grinder



SUPREME - BLUE BULLET

12
mm



Size

4" x .250 x 7/8 - 5/8
4.5" x .250 x 7/8 - 5/8
5" x .250 x 7/8 - 5/8
7" x .250 x 7/8 - 5/8
8" x .250 x DM - 5/8

TUCK POINT

SANDWICH

Application: Mortar, Masonry, Concrete
Equipment: Angle Grinder



PREMIUM

10
mm



Size

4" x .250 x 7/8 - 5/8
4" x .375 x 7/8 - 5/8
4.5" x .250 x 7/8 - 5/8
4.5" x .375 x 7/8 - 5/8
5" x .250 x 7/8 - 5/8
5" x .375 x 7/8 - 5/8
7" x .250 x 7/8 - 5/8

SUPREME

10
mm



Size

4" x .250 x 7/8 - 5/8
4" x .375 x 7/8 - 5/8
4.5" x .250 x 7/8 - 5/8
4.5" x .375 x 7/8 - 5/8
5" x .250 x 7/8 - 5/8
5" x .375 x 7/8 - 5/8
7" x .250 x 7/8 - 5/8

CRACK CHASER

LASER WELDED CRACK CHASER

Application: Mortar, Masonry, Concrete, Asphalt

Equipment: Angel Grinder



HEAVY DUTY

13
mm



Size

4" x .250 x 7/8
4" x .375 x 7/8
4.5" x .250 x 7/8
4.5" x .375 x 7/8
5" x .250 x 7/8
5" x .375 x 7/8
7" x .250 x 7/8
7" x .375 x 7/8
8" x .250 x 7/8
8" x .375 x 7/8

PREMIUM

13
mm



Size

4" x .250 x 7/8
4" x .375 x 7/8
4.5" x .250 x 7/8
4.5" x .375 x 7/8
5" x .250 x 7/8
5" x .375 x 7/8
7" x .250 x 7/8
7" x .375 x 7/8
8" x .250 x 7/8
8" x .375 x 7/8

CUP WHEELS

SINGLE ROW CUP WHEELS

Application: Concrete, Masonry Removal
Equipment: Angle Grinder



HEAVY DUTY



Size

4" x 7/8 - 5/8
4" x 5/8 - 11 Thread
4.5" x 7/8 5/8
4.5" x 5/8 - 11 Thread
5" x 7/8 5/8
5" x 5/8 - 11 Thread
7" x 7/8 5/8
7" x 5/8 - 11 Thread

PREMIUM



Size

4" x 7/8 - 5/8
4" x 5/8 - 11 Thread
4.5" x 7/8 5/8
4.5" x 5/8 - 11 Thread
5" x 7/8 5/8
5" x 5/8 - 11 Thread
7" x 7/8 5/8
7" x 5/8 - 11 Thread

CUP WHEELS

DOUBLE ROW CUP WHEELS

Application: Less aggressive, more forgiving, does not leave "horse shoe marks"

Longer lasting

Equipment: Angle Grinder



HEAVY DUTY



Size

4" x 7/8 - 5/8
4" x 5/8 - 11 Thread
4.5" x 7/8 5/8
4.5" x 5/8 - 11 Thread
5" x 7/8 5/8
5" x 5/8 - 11 Thread
7" x 7/8 5/8
7" x 5/8 - 11 Thread

PREMIUM



Size

4" x 7/8 - 5/8
4" x 5/8 - 11 Thread
4.5" x 7/8 5/8
4.5" x 5/8 - 11 Thread
5" x 7/8 5/8
5" x 5/8 - 11 Thread
7" x 7/8 5/8
7" x 5/8 - 11 Thread

CUP WHEELS

SEGMENTED TURBO CUP WHEELS

Application: Concrete, Masonry Removal

Equipment: Angle Grinder



HEAVY DUTY



Size	# of Seg.
4" x 7/8 - 5/8	9
4" x 5/8 - 11 Thread	9
4" x 7/8 - 5/8	18
4" x 5/8 - 11 Thread	18
4.5" x 7/8 - 5/8	9
4.5" x 5/8 - 11 Thread	9
4.5" x 7/8 - 5/8	18
4.5" x 5/8 - 11 Thread	18
7" x 7/8 - 5/8	12
7" x 5/8 - 11 Thread	12
7" x 7/8 - 5/8	24
7" x 5/8 - 11 Thread	24

PREMIUM



Size	# of Seg.
4" x 7/8 - 5/8	10
4" x 5/8 - 11 Thread	10
4" x 7/8 - 5/8	18
4" x 5/8 - 11 Thread	18
4.5" x 7/8 - 5/8	10
4.5" x 5/8 - 11 Thread	10
4.5" x 7/8 - 5/8	18
4.5" x 5/8 - 11 Thread	18
7" x 7/8 - 5/8	12
7" x 5/8 - 11 Thread	12
7" x 7/8 - 5/8	24
7" x 5/8 - 11 Thread	24

CUP WHEELS

T - SEGMENT CUP WHEELS

Application: Premium diamond wheel, provides more aggressive profile for coating removal or leveling uneven surface

Equipment: Angle Grinder



Size

4" x 7/8 - 5/8
4" x 5/8 - 11 Thread
4.5" x 7/8 - 5/8
4.5" x 5/8 - 11 Thread
5" x 7/8 - 5/8
5" x 5/8 - 11 Thread
6" x 7/8 - 5/8
6" x 5/8 - 11 Thread
7" x 7/8 - 5/8
7" x 5/8 - 11 Thread

E - SEGMENT / FAN CUP

Application: For high efficiency surface grinding, Epoxy coating, Mastec removal

Equipment: Angle Grinder



Size

of Seg.

4" x 7/8	7+7 Seg.
4" x 5/8 - 11 Thread	7+7 Seg.
4.5" x 7/8	7+7 Seg.
4.5" x 5/8 - 11 Thread	7+7 Seg.
5" x 7/8	8+8 Seg.
5" x 5/8 - 11 Thread	8+8 Seg.
7" x 7/8	9+9 Seg.
7" x 5/8 - 11 Thread	9+9 Seg.
10" x 5/8 - 11 Thread	12+12 Seg.

CUP WHEELS

S - SEGMENT CUP WHEELS, GRIT 40

Application: Concrete, Masonry Removal

Equipment: Angle Grinder, Floor Saw



Size

4" x 7/8 - 5/8
4" x 5/8 - 11 Thread
4.5" x 7/8 - 5/8
4.5" x 5/8 - 11 Thread
5" x 7/8 - 5/8
5" x 5/8 - 11 Thread
7" x 7/8 - 5/8
7" x 5/8 - 11 Thread

S - SEGMENT CUP WHEELS, GRIT 20

Application: Aggressive Concrete, Masonry Removal

Equipment: Angle Grinder



Size

4" x 7/8 - 5/8
4" x 5/8 - 11 Thread
4.5" x 7/8 - 5/8
4.5" x 5/8 - 11 Thread
5" x 7/8 - 5/8
5" x 5/8 - 11 Thread
7" x 7/8 - 5/8
7" x 5/8 - 11 Thread

CUP WHEELS

ARROW CUP WHEELS

Application: Concrete

Equipment: Angle Grinder, Floor Saw



Size	# of Seg.
4.5" x 5/8 - 11	6
7" x 5/8 - 11	6
7" x 7/8 - 5/8	10
7" x 5/8 - 11	10
7" x 7/8 - 5/8	12
7" x 5/8 - 11	12

TILE BLADES

DRY TILE BLADES

Application: Ceramic, Porcelain, Granite, Marble
Equipment: Angle Grinder, Tub Tile Saw 5/8

7
mm



Size

4" x .060 x 7/8 - 5/8
4.5" x .060 x 7/8 - 5/8
5" x .060 x 7/8 - 5/8
6" x .060 x DM
7" x .060 x DM
8" x .060 x DM
10" x .060 x 5/8



TILE BLADES

J - SLOT PORCELAIN TILE BLADE

Application: Porcelain Tile, Granite, Marble, Glazed Ceramic Tile

Equipment: Tub Tile Saw, Circular Saw



PREMIUM

7
mm



Size

4" x .060 x 7/8 - 5/8

4.5" x .060 x 7/8 - 5/8

5" x .060 x 7/8 - 5/8

6" x .060 x 5/8

7" x .060 x 5/8

8" x .060 x 5/8

10" x .065 x 5/8

SUPREME

10
mm



Size

7" x .060 x 5/8

8" x .060 x 5/8

10" x .065 x 5/8

12" x .080 x 1 - 20mm

14" x .080 x 1 - 20mm

TYPE N - HYDRAULIC CHAIN



HYDRAULIC CHAIN: 823 - 853 MODEL NEW CHASSIS - REGULAR SEGMENT

Size	# of Seg.	Seg. Type
15"	66	Great White
15"	66	Blue Shark
19"	78	Great White
19"	78	Blue Shark
24"	94	Blue Shark
30"	110	Blue Shark

ACCESSORIES

BAR

Size
15"
19"
24"
30"

SPROCKET & TRANTORQUE

Description
Replacement Sprocket
Trantorque (No motor upgrade)
rantorque (Motor upgrade)



CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

TYPE 3D - HYDRAULIC CHAIN



HYDRAULIC CHAIN: 823 - 853 MODEL

NEW CHASSIS - 3D SEGMENT

Size	# of Seg.	Seg. Type
11"	56	Blue Shark
15"	66	Blue Shark
19"	78	Blue Shark
24"	94	Blue Shark
30"	110	Blue Shark

ACCESSORIES

BAR

Size
11"
15"
19"
24"
30"

SPROCKET & TRANTORQUE

Description
Replacement Sprocket
Trantorque (No motor upgrade)
Trantorque (Motor upgrade)



CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

TYPE X - HYDRAULIC CHAIN



HYDRAULIC CHAIN: 880F4 MODEL

NEW CHASSIS - X TYPE SEGMENT

Size	# of Seg.	Seg. Type
15"	58	Blue Shark
20"	68	Blue Shark
25"	80	Blue Shark

ACCESSORIES

BAR

Size
15"
20"
25"



TYPE X - GAS CHAIN



GAS CHAIN: 695F4 MODEL

NEW CHASSIS - X TYPE SEGMENT

Size	# of Seg.	Seg. Type
14"	54	Great White
16"	58	Great White

ACCESSORIES

BAR

Size
14"
16"



N - TYPE: HYDRAULIC



N - TYPE CHAIN

DCI SAWSHARK Chain is made of engineered diamond for absolute best performance in a variety application:

GREAT WHITE - Ideal chsin for most applications.

BLUE SHARK - For the most demanding applications. Very hard aggregate. Heavy reinforced steel.

TIGER SHARK - Abrasive chain. Excellent speed and life on all abrasive material.



SAWSHARK - SS15

Type	
15" with 76 Segments	
Great White	
Blue Shark	
Tiger Shark	
20" with 88 Segments	
Great White	
Blue Shark	
Tiger Shark	
30" with 110 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
15"	
20"	
30"	
SPROCKET	

SAWSHARK - MINI

Type	
13" with 50 Segments	
Great White	
Blue Shark	
Tiger Shark	
15" with 55 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
15"	
20"	
SPROCKET	



SPROCKET

CALL TOLL FREE: 855-TOOLGAL (855-866-5422)

N - TYPE: HYDRAULIC CHAIN



823 - 853

Large Frame Hydraulic Saw

Type	
11" with 56 Segments	
Great White	
Blue Shark	
Tiger Shark	
15" with 66 Segments	
Great White	
Blue Shark	
Tiger Shark	
19" with 78 Segments	
Great White	
Blue Shark	
Tiger Shark	
24" with 94 Segments	
Great White	
Blue Shark	
Tiger Shark	
30" with 110 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
11"	
15"	
19"	
24"	
30"	
SPROCKET	

813 - 814

Small Frame Hydraulic Saw

Type	
13" with 50 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
13"	
SPROCKET	



N - TYPE: HYDRAULIC CHAIN

LCC30 / DS06

Type	
13" with 50 Segments	
Great White	
Blue Shark	
Tiger Shark	
15" with 55 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
13"	
15"	
SPROCKET	

LCC31 / DS11

Type	
15" with 64 Segments	
Great White	
Blue Shark	
Tiger Shark	
18" with 74 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
15"	
18"	
SPROCKET	

CC20 / CSH 40

Type	
12" with 62 Segments	
Great White	
Blue Shark	
Tiger Shark	
16" with 74 Segments	
Great White	
Blue Shark	
Tiger Shark	
20" with 86 Segments	
Great White	
Blue Shark	
Tiger Shark	
24" with 98 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
15"	
SPROCKET	



N - TYPE: GAS CHAIN



603GC - 64CC

Type	
9" with 48 Segments	
Great White	
Blue Shark	
Tiger Shark	
10" with 50 Segments	
Great White	
Blue Shark	
Tiger Shark	
12" with 54 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
9"	
10"	
12"	
SPROCKET	

633GC - 101CC

Type	
12" with 58 Segments	
Great White	
Blue Shark	
Tiger Shark	
14" with 64 Segments	
Great White	
Blue Shark	
Tiger Shark	
16" with 70 Segments	
Great White	
Blue Shark	
Tiger Shark	

ACCESSORIES

BAR	
12"	
14"	
16"	
SPROCKET	



N - TYPE: GAS CHAIN



613GC / 680 - 80CC

Type
12" with 58 Segments
Great White
Blue Shark
Tiger Shark
14" with 64 Segments
Great White
Blue Shark
Tiger Shark

ACCESSORIES

BAR
12"
14"
SPROCKET

K950 - K960

Type
12" with 58 Segments
Great White
Blue Shark
Tiger Shark
14" with 64 Segments
Great White
Blue Shark
Tiger Shark

ACCESSORIES

BAR
12"
14"
SPROCKET

MACHINES ICONS

Can Run Wet / Dry



DRY



WET



Pre Stressed Machine



Table Saw



High H.P Wall Saw



Angle Grinder



Circular Saw



Tub Tile Saw



Hi Speed Hand Held Saw



Wire saw



Electric Core Drill



Floor Saw



Low H.P Walk Behind



High H.P Self Propelled Walk Behind Saw



High Speed Saw



Hydraulic & Pneumatic Saw

